


motorised valves



motorised spring return zone valve

ORDER CODE	SIZE	CONNECTION	PORTS
MZV22	22 mm	Compression	2
MZV28	28 mm	Compression	2

- 230 Vac
- +5°C +88°C
- 6 W
- C/w auxiliary microswitch



motorised spring return diverter valve

ORDER CODE	SIZE	CONNECTION	PORTS
MDV22	22 mm	Compression	3
MDV28	28 mm	Compression	3

- 230 Vac
- +5°C +88°C
- 6 W
- C/w auxiliary microswitch



motorised valve synchron motor

ORDER CODE	TYPE
MVSM230	230 Vac 6 W



2-port threaded valve body

ORDER CODE	SIZE
MVB12	½"
MVB34	¾"
MVB1	1"
MVB114	1¼"
MVB112	1½"
MVB2	2"

- Threaded BSP
- 25 bar rated



open/close actuator for 2-port valve body

ORDER CODE	POWER	SIZE
MVAPOC24S	24 V	½" to 1"
MVAPOC24M	24 V	1¼" to 1½"
MVAPOC24L	24 V	2"
MVAPOC230S	230 V	1½" to 1"
MVAPOC230M	230 V	1¼" to 1½"
MVAPOC230L	230 V	2"
AUX2T	Auxiliary microswitch – optional	

spring return actuator for 2-port valve body

ORDER CODE	POWER	SIZE
MVASR24S	24 V	½" to 1"
MVASR230S	230 V	½" to 1"
MVASR24230M	24 V/230 V	1¼" to 1½"
MVASR24230L	24 V/230 V	2"

- C/w auxiliary microswitch



lugged and tapped butterfly valve c/w actuator

ORDER CODE	POWER	SIZE
MBVLD2A230	230 V	2"
MBVLD212A230	230 V	2½"
MBVLD3A230	230 V	3"
MBVLD4A230	230 V	4"
MBVLD5A230	230 V	5"
MBVLD6A230	230 V	6"
MBVLD2A24	24 V	2"
MBVLD212A24	24 V	2½"
MBVLD3A24	24 V	3"
MBVLD4A24	24 V	4"
MBVLD5A24	24 V	5"
MBVLD6A24	24 V	6"

- PN16 flange
- WRAS approved
- C/w auxiliary microswitch



lugged and tapped butterfly valve c/w spring return actuator

ORDER CODE	POWER	SIZE
MBVLD2SR	24 V	2"
MBVLD212SR	24 V	2½"
MBVLD3SR	24 V	3"
MBVLD4SR	24 V	4"
MBVLD5SR	24 V	5"
MBVLD6SR	24 V	6"

- PN16 flange
- WRAS approved
- C/w auxiliary microswitch



motorised valves



mixing or diverting 3-port motorised valve body

ORDER CODE	SIZE	TYPE
MVBM12	½"	Threaded
MVBM34	¾"	Threaded
MVBM1	1"	Threaded
MVBM114	1¼"	Threaded
MVBM112	1½"	Threaded
MVBM2	2"	Threaded

- Threaded BSP
- 10 Bar rated



actuator for 3-port threaded motorised valve body

ORDER CODE	POWER	SIZE
MVA24	24 V	½" to 2"
MVA24010	24 V, 0-10 V	½" to 2"
MVA230	230 V	½" to 2"
AUX3T	Auxiliary microswitch - optional	
LKT	Actuator to valve body linkage kit	



mixing or diverting 3-port flanged motorised valve body

ORDER CODE	SIZE	TYPE
MVBM212F	2½"	Flanged
MVBM3F	3"	Flanged
MVBM4F	4"	Flanged
MVBM5F	5"	Flanged
MVBM6F	6"	Flanged

- Flanged PN6
- 6 Bar rated



actuator for 3-port flanged motorised valve body

ORDER CODE	POWER	SIZE	TYPE
MVAF24L	24 V	2½" to 6"	Flanged
MVAF24010	24 V, 0-10V	2½" to 6"	Flanged
MVAF230	230 V	2½" to 6"	Flanged
AUX3F	Auxiliary microswitch - optional		
LKF	Actuator to valve body linkage kit		